## Attention

49 CFR 395.22 (g)

If a driver uses a portable ELD, the motor carrier shall ensure that the ELD is mounted in a fixed position during the operation of the commercial motor vehicle and visible to the driver when the driver is seated in normal driving position.

A driver using an ELD must have these items onboard the commercial motor vehicle (CMV)

- 1. An ELD user's manual for driver describing how to operate the ELD, and step-by-step instructions to produce and transfer the driver's hours-of-service records to an authorized safety official;
- 2. A supply of blank driver's records of duty status (RODS) graph-grids sufficient to record the driver's duty status and other related information for minimum of 8 days.

## How to Setup your Company, Drivers, and Vehicles Account

#### Manager Account Setting:

After start your log, make sure you have input your company information, and create Driver and Vehicle Account.



Your dispatch manager should create driver and vehicle accounts for you.

15:10 Thu Apr 8			→ ? @ L 1 23%
	RT EL	D Plus	e ELD
► Logout			>
ACCOUNT MANAGE	MENT		
Profile			>
Company Profil	e		>
Driver Account	S		>
Vehicle Account	s		>
INSPECTION MODE			
Inspection List			>
SETTINGS			
Odometer Unit			MILE
Show Actions in	ELog		
U.S. Default Rul	e		>
Canada Default	Rule		>
PRIVACY POLICY			
ft Hos	DVIRs	🕑 ELOGS	MENU



## How to Connect ELD Interpreter with your Tablet/Phone

### I. Rollingtrans ELD APP Sync with ELD interpreter

- 3. Open your ELD app
- 4. Plug the cable into your vehicle
- 5. Ignite the vehicle
  - Don't turn on the engine, just the ignition
- 6. Plug the cable into the ELD interpreter
- 7. Press the refresh button twice
  - Make sure you hear the clicking sound
  - When the device is connected, the device will release(emit/give off) two red solid lights and two green blinking lights
- 8. Reopen the app


(For more detailed instructions, please check out our step-by-step "How to Connect" guide.)

### II. Your tablet/phone will automatically paired with your bluetooth

(For who are still using the RTOA47 devices, the connection method is the same as the older version, please ...)



# III. Allow the app always using your location when using the app





2. Select vehicle

3. Input starting mileage and all shipment and trailer information

## How to Create Your New Log for Today

### I. Create New DVIR


1. To create your new log today, you need to start from new DVIR

46 Thu Apr 8	+ 중 ⊗ ६ ଏ 64% ■)		11:49 Thu Apr 8	
RT ELD Plus	eld		< Create D	OVIR
			Co-Driver	
			HOS Rule	
			Vehicle	
			Unit Number *	
			Vehicle Name	
			Body Type	
•			Terminal Time Zone	
Create			Starting Mileage(MILE)	
New DVIR			Shipping (Itinerary / PAX) Doc #	
			Trailers	
			Trailer 1	
	+		Create	
	· · · · · · · · · · · · · · · · · · ·			
HOS DURS SELOGS			A HOS DVIRs	O ELOGS
Thu Apr 8			HOS <b>DUIRs</b>	C ELOGS
The Apr 8 005 Compressor	◆ ♥ ④ < 寸 62% ■ )		HOS UVIRs	C ELOGS
Thu Apr 8 005 Compressor Lines	+ ♥ ♥ L <i>4</i> 62% ■ ) Good ( )		HOS UVIRs	C ELOGS
The Apr 8 OO5 Compressor Lines Pressure Warning Device tery	+ � � & < 42% Good > Good >		HOS UVIRs	C ELOGS
1 Thu Apr 8 Compressor Lines Pressure Warning Device ttery It/Hoses	+ ♥ ♥ € 4 41% ■ ) Good ) Good ) Good )		HOS DURS	D ELOGS
e Thu Apr & COmpressor Llines PPressure Warning Device tttery Hithoses	+ ♥ ♥ ♥ ♥ € € £216 ■ 2      Good >       Good >		HOS UVIRs	ELOG8
a The Aper B COD5 r Compressor r Lines r Pressure Warning Device sttery stylvAcses sdy	+ + + + + + + + + + + + + + + + + + +		HOS DURS	C ELOGS
The Age 8 Compressor Lines Pressure Warning Device ttery N/Hoses dy rking rvice	+ ♥ ♥ ♥ ♥ € € £216 ■ 2      Good >       Good >			ELOG8
2 The Apr & Compressor Lines Pressure Warning Device ttery tyloses dy tking cruce es to trailer	+ ♥ ♥ ♥ ♥ ♥ ♥ ♥ ♥ ♥ ♥ ♥ ♥ ♥ ♥ ♥ ♥ ♥		le and trailer	ELOG8
	<ul> <li>Cool</li> <l< td=""><td>inspe</td><td>le and trailer action - click finish</td><td>ELOG8</td></l<></ul>	inspe	le and trailer action - click finish	ELOG8
		inspe when	le and trailer ection - click finish you complete	ELOGS ELOGS
0 The Apr 8	<ul> <li>♦ 0 0 4 43%</li> <li>♦ 0 0 0</li> <li>♦ 0 0</li></ul>	inspe	le and trailer ection - click finish you complete	ELOG8



### II. Go to E-log

Click the Elogs Tab in the bottom functional bar and select today's Elog on the list



### Certify the Log:


At the end of the day, please follow the procedure to certify your log

- 1. Turn of the Engine
- 2. Change Status to OFF or SB
- 3. Click Certify the Log and key in the ending information

### **Reactivate the Log:**

After you certify the log you are not allow to add/edit the log. If you need to drive or need to modify the log again, please click reactive the log.

Remember to certify the log again after you finish your drive drive today or modify the log.





## How to Display and Send Your Driver's Log

Go to "Menu Tab", and click the "Inspection List"

15:10	Thu Apr 8			→ <a>?</a> • <  • <  • <p< th=""></p<>
		RT E	LD Plus	e ELD
•	Logout			>
AC	COUNT MANAGEME	NT		
2	Profile			
***	Company Profile			>
B	Driver Accounts			>
A	Vehicle Accounts			>
INS	PECTION MODE			
۲	Inspection List			
SE	TTINGS			
æ	Odometer Unit			MILE >
	Show Actions in EL	og		
6	U.S. Default Rule			>
6	Canada Default Ru	le		
PRI	VACY POLICY			
	ft HOS	DVIRs	🕑 ELOGs	

#### **Option 1: Submit to FMCSA Website**

Select a date and type in the Safety Authorized Office's inspection code in comments and click "submit".

#### **Option 2: Email Option**

Select a date and days. Type in Safety Authorized Office's designed email address to send your HOS record PDF file.

#### **Option 3: Display on the Device**

The app will display your HOS record from the past 8 days on the screen for roadside inspection.



## **Eld Malfunction Trouble Shoot**

No.	Issues	Action
1	Can not find Paired ELD interpreter in App	Click refresh button in APP ELD pair screen
2	Can not Pair with ELD interpreter	Make sure no other phone or device paired and connect to your ELD interpreter. Bluetooth device can only pair with one Table/Phone at once.
3	ELD interpreter Paired and see green light in App but still not sync with App or won't do auto switch driving status	Check the ELD Protocol you choose is correct. You should choose: J1939/1708: For Truck, Bus, and Ford 650 OBD2: For Pick-up, Van and Sprinter
4	Can not open new log	Make sure you certify all of your previous log before you create a new log .





## **Tech Support**

(844) 538-7267(626) 416-5098

Service@Rollingtrans.com

### **Tutorial Video**

For more information and demo please check out the videos below

## **Rollingtrans Driver Log Operation Part I**

(Daily Log Operation) http://bit.ly/2AEFJYO

## **Rollingtrans Driver Log Operation Part II**

(Edit Log and Add Remark) http://bit.ly/2B303pz

## **ELD Installation and Set Up**

http://bit.ly/2AFuX3l

